

# AOTF1082-2


## Acousto-Optic Tuneable Filter



0426

### Features:


Fast Tuning  
Minimal chromatic dispersion



The AOTF1082 acousto-optic tuneable filter is specifically designed for use with laser sources. The wavelength of the diffracted light is selected according to the frequency of the RF drive signal. Isomet-grown tellurium dioxide ( $\text{TeO}_2$ ), which has been oriented for off-axis mode operation, is utilised as the interaction material. Fast access times and fine spectral bandwidths make these filters ideal for selecting discrete lines from a multi-line laser source.

For **vertical** input polarization, the crystal geometry is designed to minimize chromatic beam deflection of the -1st output. Diffracted output polarization rotated to horizontal.

### Typical tuning characteristic




Suitable electronics include:

- **iCSA-100T-1-1** integrated frequency synthesizer / power amplifier.
- **iMS4-L (or-P)** fully programmable frequency synthesizer plus **AG0-series** amplifier.

**ALL SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE**  
 ISOMET CORP, 10342 Battlevue Parkway, Manassas, VA 20109, USA.  
 Tel: (703) 321 8301 Fax: (703) 321 8546  
 E-mail: [ISOMET@ISOMET.COM](mailto:ISOMET@ISOMET.COM) Web Page: [WWW.ISOMET.COM](http://WWW.ISOMET.COM)

**Quality Assured.**  
**In-house: Crystal Growth,**  
**Optical Polishing,**  
**A/R coating, Vacuum Bonding**



# AOTF1082-2

## Acousto-Optic Tuneable Filter




0426

### Specifications

Aperture	2.0mm x 2.0mm
Wavelength range	450-650nm
Incidence Angle	3° nominal
Switching speed	< 1usec per mm beam dia.
Static insertion loss	< 5%
Diffraction efficiency	> 90% / line
Separation Angle (mrad)	5° nominal
Chromatic co-linearity	< +/- 0.15mrad

Wavelength (nm)	<b>457</b>	<b>488</b>	<b>515</b>	<b>647</b>
Frequency (MHz)	100.7	91.2	84.4	63.2
Bandwidth (nm)	3.2	4.1	4.8	9
RF Drive Power (mW)	<80	<90	<100	<150



Option -M: metric mounting screws M3

**ALL SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE**  
 ISOMET CORP, 10342 Battlevue Parkway, Manassas, VA 20109, USA.  
 Tel: (703) 321 8301 Fax: (703) 321 8546  
 E-mail: [ISOMET@ISOMET.COM](mailto:ISOMET@ISOMET.COM) Web Page: [WWW.ISOMET.COM](http://WWW.ISOMET.COM)

**Quality Assured.**  
 In-house: Crystal Growth,  
 Optical Polishing,  
 A/R coating, Vacuum Bonding